






C MACHINE SCREWS CROSS/SLOTTED
METAALSCHROEVEN - VIS A METAUX - GEWINDESCHRAUBEN KREUZ/SCHLITZ



	Din 84 (10/1970) * EN 1207 (09/1996) **	CHEESE HEAD SCREW slotted METAALSCHROEF cilindrische kop met zaaggleuf VIS A METAUX tête cylindrique fendue ZYLINDERSCHRAUBE mit Schlitz	p. 130
	Din 85 (12/1972) * EN 1580 (05/1996) **	PAN HEAD SCREW slotted METAALSCHROEF cilindrische kop met zaaggleuf VIS A METAUX tête cylindrique fendue FLACHKOPFSCHRAUBE mit Schlitz	p. 137
	Din 963 (04/1985) * EN 2009 (09/1996) **	COUNTERSUNK HEAD SCREW slotted METAALSCHROEF verzonken kop met zaaggleuf VIS A METAUX tête fraisée fendue SENKSCHEIBE mit Schlitz	p. 138
	pgb - VP NFE 25-129 (12/1985)	ROOFING BOLTS double slotted METAALSCHROEF met dubbele gleuf VIS POELIERS avec double fente BECHER SCHRAUBEN dobbel Schlitz	p. 144
	Din 965 (09/1986) * EN 7046 (05/1996) **	COUNTERSUNK HEAD SCREWS cross recessed METAALSCHROEF verzonken kop met kruisindruk VIS A METAUX tête fraisée empreinte cruciforme SENKSCHEIBEN mit Kreuzschlitz	p. 145
	Din 966 (12/1984) * EN 7047 (09/1996) **	CSK OVAL HEAD SCREW cross recessed METAALSCHROEF bolverzonken kop met kruisindruk VIS A METAUX tête fr.bombée empreinte cruciforme LINSENSENKSCHEIBE mit Kreuzschlitz	p. 149
	Din 7985 (07/1986) * EN 7045 (09/1996) **	RAISED CHEESE HEAD SCREW cross recessed METAALSCHROEF bolkop met kruisindruk VIS A METAUX tête cyl.bombée, cruciforme LINSENSENKSCHEIBE mit Kreuzschlitz	p. 151
	pgb - MTV	DOME SCREW with combi slot MEUBELTREKKERSVIJS flenskop met kombi-indruk VIS POUR POIGNEE MEUBLE fente combinée MÖBELGRIFFSCHRAUBE mit Kombi-Kreuzschlitz Z	p. 155

Din 84 (10/1970) *


EN 1207 (09/1996) **

CHEESE HEAD SCREW SLOTTED

METAALSCHROEF CILINDRISCHE KOP MET ZAAGGLEUF

VIS A METAUX TÊTE CYLINDRIQUE FENDUE

ZYLINDERSCHRAUBE MIT SCHLITZ



material : Steel 4.8	materiaal : Staal 4.8	matière : Acier 4.8	Werkstoff : Stahl 4.8
type : standard	type : standaard	type : standard	Typ : normalmass
surface : zinc plated	oppervlak : verzinkt	surface : zingué	Oberfläche : verzinkt


Technical properties / Technische gegevens / Données techniques / Technische Daten

M	b 1	dk max.	k max.	n max.	t max.
M 3	19	5.5	2	1	1.15
M 4	22	7	2.6	1.2	1.5
M 5	25	8.5	3.3	1.51	1.8
M 6	28	10	3.9	1.91	2.2
M 8	34	13	5	2.31	2.6

* Cancelled since 09/1996 ** Nearly identical
 * Vervallen vanaf 09/1996 ** Verregaand uitwisselbaar
 * Retiré à partir de 09/1996 ** Presque identique
 * Storniert ab 09/1996 ** Weitgehend austauschbar

M x l	art code	EAN	BOX	KG/ BOX
3 x 6	00084,03006 Z	5410439016810	200	0,24
3 x 8	00084,03008 Z	5410439016841	200	0,28
3 x 10	00084,03010 Z	5410439016889	200	0,32
3 x 12	00084,03012 Z	5410439016919	200	0,36
3 x 16	00084,03016 Z	5410439016957	200	0,40
3 x 20	00084,03020 Z	5410439016995	200	0,48
3 x 25	00084,03025 Z	5410439017039	200	0,60
3 x 30	00084,03030 Z	5410439017077	200	0,68
3 x 35	00084,03035 Z	5410439017091	200	0,76
3 x 40	00084,03040 Z	5410439017121	200	0,84
3 x 50	00084,03050 Z	5410439306515	200	1,04
4 x 6	00084,04006 Z	5410439017152	200	0,44
4 x 8	00084,04008 Z	5410439017183	200	0,56
4 x 10	00084,04010 Z	5410439017220	200	0,60
4 x 12	00084,04012 Z	5410439017268	200	0,64
4 x 16	00084,04016 Z	5410439017305	200	0,72
4 x 20	00084,04020 Z	5410439017343	200	0,88
4 x 25	00084,04025 Z	5410439017381	200	1,04
4 x 30	00084,04030 Z	5410439017428	200	1,24
4 x 35	00084,04035 Z	5410439017442	200	1,36
4 x 40	00084,04040 Z	5410439017473	200	1,52
4 x 45	00084,04045 Z	5410439017497	200	1,68
4 x 50	00084,04050 Z	5410439017527	200	1,80

M x l	art code	EAN	BOX	KG/ BOX
4 x 60	00084,04060 Z	5410439017534	200	2,16
4 x 70	00084,04070 Z	5410439172370	200	2,48
5 x 8	00084,05008 Z	5410439017565	200	0,92
5 x 10	00084,05010 Z	5410439017602	200	1,00
5 x 12	00084,05012 Z	5410439017633	200	1,12
5 x 16	00084,05016 Z	5410439017671	200	1,32
5 x 20	00084,05020 Z	5410439017718	200	1,48
5 x 25	00084,05025 Z	5410439017756	200	1,76
5 x 30	00084,05030 Z	5410439017800	200	2,00
5 x 35	00084,05035 Z	5410439017824	200	2,24
5 x 40	00084,05040 Z	5410439017855	200	2,48
5 x 45	00084,05045 Z	5410439017879	200	2,72
5 x 50	00084,05050 Z	5410439017909	200	3,00
5 x 60	00084,05060 Z	5410439017923	200	3,44
5 x 70	00084,05070 Z	5410439217415	200	3,96
5 x 80	00084,05080 Z	5410439217422	200	4,36
6 x 8	00084,06008 Z	5410439017961	200	1,36
6 x 10	00084,06010 Z	5410439018005	200	1,52
6 x 12	00084,06012 Z	5410439018036	200	1,68
6 x 16	00084,06016 Z	5410439018074	200	1,92
6 x 20	00084,06020 Z	5410439018111	200	2,20
6 x 25	00084,06025 Z	5410439018159	200	2,56
6 x 30	00084,06030 Z	5410439018203	200	2,92



material : Steel 4.8 type : standard surface : zinc plated	materiaal : Staal 4.8 type : standaard oppervlak : verzinkt	matière : Acier 4.8 type : standard surface : zingué	Werkstoff : Stahl 4.8 Typ : normalmass Oberfläche : verzinkt
---	--	---	---

M x l	art code	EAN	BOX	KG/ BOX
6 x 35	00084,06035 Z	5410439018227	200	3,36
6 x 40	00084,06040 Z	5410439018265	200	3,60
6 x 45	00084,06045 Z	5410439018289	200	4,00
6 x 50	00084,06050 Z	5410439018319	200	4,24
6 x 60	00084,06060 Z	5410439018333	200	5,00
6 x 70	00084,06070 Z	5410439217439	200	5,72

M x l	art code	EAN	BOX	KG/ BOX
6 x 80	00084,06080 Z	5410439217446	200	6,32
8 x 20	00084,08020 Z	5410439018456	200	4,36
8 x 25	00084,08025 Z	5410439018487	200	4,96
8 x 30	00084,08030 Z	5410439018517	200	5,68
8 x 40	00084,08040 Z	5410439018562	200	6,96
8 x 50	00084,08050 Z	5410439018593	100	2,06

C

Din 84 (10/1970) *


EN 1207 (09/1996) **

CHEESE HEAD SCREW SLOTTED

METAALSCHROEF CILINDRISCHE KOP MET ZAAGGLEUF

VIS A METAUX TÊTE CYLINDRIQUE FENDUE

ZYLINDERSCHRAUBE MIT SCHLITZ



material : Stainless steel A2	materiaal : Inox A2	matière : Inox A2	Werkstoff : Edelstahl A2
type :	type :	type :	Typ :
surface : plain	oppervlak : blank	surface : brut	Oberfläche : roh


Technical properties / Technische gegevens / Données techniques / Technische Daten

M	b 1	dk max.	k max.	n max.	t max.
M 3	19	5.5	2	1	1.15
M 4	22	7	2.6	1.2	1.5
M 5	25	8.5	3.3	1.51	1.8
M 6	28	10	3.9	1.91	2.2

* Cancelled since 09/1996 ** Nearly identical
 * Vervallen vanaf 09/1996 ** Verregaand uitwisselbaar
 * Retiré à partir de 09/1996 ** Presque identique
 * Storniert ab 09/1996 ** Weitgehend austauschbar

M x l	art code	EAN	BOX	KG/ BOX
3 x 4	00084,03004 A2	5410439098465	200	0,20
3 x 6	00084,03006 A2	5410439016797	200	0,24
3 x 8	00084,03008 A2	5410439016827	200	0,28
3 x 10	00084,03010 A2	5410439016858	200	0,32
3 x 12	00084,03012 A2	5410439016896	200	0,36
3 x 16	00084,03016 A2	5410439016926	200	0,44
3 x 20	00084,03020 A2	5410439016964	200	0,48
3 x 25	00084,03025 A2	5410439017008	200	0,60
3 x 30	00084,03030 A2	5410439017046	200	0,68
3 x 35	00084,03035 A2	5410439017084	200	0,76
3 x 40	00084,03040 A2	5410439017107	200	0,84
3 x 50	00084,03050 A2	5410439209052	200	1,04
4 x 6	00084,04006 A2	5410439017138	200	0,44
4 x 8	00084,04008 A2	5410439017169	200	0,48
4 x 10	00084,04010 A2	5410439017190	200	0,60
4 x 12	00084,04012 A2	5410439017237	200	0,64
4 x 16	00084,04016 A2	5410439017275	200	0,76
4 x 20	00084,04020 A2	5410439017312	200	0,88
4 x 25	00084,04025 A2	5410439017350	200	1,04
4 x 30	00084,04030 A2	5410439017398	200	1,16
4 x 35	00084,04035 A2	5410439017435	200	1,36
4 x 40	00084,04040 A2	5410439017459	200	1,52
4 x 45	00084,04045 A2	5410439017480	200	1,68
4 x 50	00084,04050 A2	5410439017503	200	1,84

M x l	art code	EAN	BOX	KG/ BOX
4 x 60	00084,04060 A2	5410439098472	200	2,16
5 x 6	00084,05006 A2	5410439102131	200	0,76
5 x 8	00084,05008 A2	5410439017541	200	0,88
5 x 10	00084,05010 A2	5410439017572	200	1,00
5 x 12	00084,05012 A2	5410439017619	200	1,08
5 x 16	00084,05016 A2	5410439017640	200	1,28
5 x 20	00084,05020 A2	5410439017688	200	1,44
5 x 25	00084,05025 A2	5410439017725	200	1,56
5 x 30	00084,05030 A2	5410439017763	200	2,00
5 x 35	00084,05035 A2	5410439017817	200	2,24
5 x 40	00084,05040 A2	5410439017831	200	2,48
5 x 45	00084,05045 A2	5410439017862	200	2,68
5 x 50	00084,05050 A2	5410439017886	200	2,88
5 x 60	00084,05060 A2	5410439017916	200	3,44
5 x 70	00084,05070 A2	5410439017930	200	3,96
5 x 80	00084,05080 A2	5410439017947	200	4,44
6 x 8	00084,06008 A2	5410439017954	200	1,20
6 x 10	00084,06010 A2	5410439017978	200	1,48
6 x 12	00084,06012 A2	5410439018012	200	1,64
6 x 16	00084,06016 A2	5410439018043	200	1,92
6 x 20	00084,06020 A2	5410439018081	200	2,16
6 x 25	00084,06025 A2	5410439018128	200	2,68
6 x 30	00084,06030 A2	5410439018166	200	2,84
6 x 35	00084,06035 A2	5410439018210	200	3,24



material : Stainless steel A2 type : surface : plain	materiaal : Inox A2 type : oppervlak : blank	matière : Inox A2 type : surface : brut	Werkstoff : Edelstahl A2 Typ : Oberfläche : roh
---	---	--	--

M x l	art code	EAN	BOX	KG/ BOX
6 x 40	00084,06040 A2	5410439018234	200	3,68
6 x 45	00084,06045 A2	5410439018272	200	3,92
6 x 50	00084,06050 A2	5410439018296	200	4,28
6 x 60	00084,06060 A2	5410439018326	200	5,08

M x l	art code	EAN	BOX	KG/ BOX
6 x 70	00084,06070 A2	5410439018340	200	5,80
6 x 80	00084,06080 A2	5410439018357	200	6,36
6 x 100	00084,06100 A2	5410439018371	200	7,72

Din 84 (10/1970) *


EN 1207 (09/1996) **

CHEESE HEAD SCREW SLOTTED

METAALSCHROEF CILINDRISCHE KOP MET ZAAGGLEUF

VIS A METAUX TÊTE CYLINDRIQUE FENDUE

ZYLINDERSCHRAUBE MIT SCHLITZ



material : Plastic PA	materiaal : Kunststof PA	matière : Plastique PA	Werkstoff : Kunststoff PA
type :	type :	type :	Typ :
surface : self-colour	oppervlak : natuurkleur	surface : naturel	Oberfläche : naturel

Technical properties / Technische gegevens / Données techniques / Technische Daten

M	b 1	dk max.	k max.	n max.	t max.
M 3	19	5.5	2	1	1.15
M 4	22	7	2.6	1.2	1.5
M 5	25	8.5	3.3	1.51	1.8
M 6	28	10	3.9	1.91	2.2
M 8	34	13	5	2.31	2.6

* Cancelled since 09/1996 ** Nearly identical
 * Vervallen vanaf 09/1996 ** Verregaand uitwisselbaar
 * Retiré à partir de 09/1996 ** Presque identique
 * Storniert ab 09/1996 ** Weitgehend austauschbar

M x l	art code	EAN	BOX	KG/ BOX
3 x 4	00084,03004 N	5410439153348	200	0,20
3 x 6	00084,03006 N	5410439153362	200	0,04
3 x 8	00084,03008 N	5410439153379	200	0,28
3 x 10	00084,03010 N	5410439016872	200	0,32
3 x 16	00084,03016 N	5410439016940	200	0,40
3 x 20	00084,03020 N	5410439016988	200	0,48
3 x 25	00084,03025 N	5410439017022	200	0,56
3 x 30	00084,03030 N	5410439017060	200	0,68
4 x 10	00084,04010 N	5410439017213	200	0,08
4 x 12	00084,04012 N	5410439017251	200	0,64
4 x 16	00084,04016 N	5410439017299	200	0,80
4 x 20	00084,04020 N	5410439017336	200	0,92
4 x 25	00084,04025 N	5410439017374	200	0,16
4 x 30	00084,04030 N	5410439017411	200	1,20
5 x 10	00084,05010 N	5410439017596	200	0,16
5 x 12	00084,05012 N	5410439153416	200	0,20
5 x 16	00084,05016 N	5410439017664	200	0,20
5 x 20	00084,05020 N	5410439017701	200	1,52

M x l	art code	EAN	BOX	KG/ BOX
5 x 25	00084,05025 N	5410439017749	200	1,76
5 x 30	00084,05030 N	5410439017794	200	2,00
5 x 40	00084,05040 N	5410439153430	200	2,52
5 x 50	00084,05050 N	5410439153447	200	3,00
6 x 10	00084,06010 N	5410439017992	200	1,56
6 x 12	00084,06012 N	5410439153454	200	1,72
6 x 16	00084,06016 N	5410439018067	200	0,28
6 x 20	00084,06020 N	5410439018104	200	2,28
6 x 25	00084,06025 N	5410439018142	200	0,36
6 x 30	00084,06030 N	5410439018197	200	3,00
6 x 40	00084,06040 N	5410439018258	200	0,64
6 x 50	00084,06050 N	5410439153478	200	4,36
8 x 16	00084,08016 N	5410439018418	200	3,92
8 x 20	00084,08020 N	5410439018449	200	4,40
8 x 25	00084,08025 N	5410439018470	200	5,04
8 x 30	00084,08030 N	5410439018500	200	5,68
8 x 40	00084,08040 N	5410439018555	200	6,96

Din 84 (10/1970) *


EN 1207 (09/1996) **

CHEESE HEAD SCREW SLOTTED

METAALSCHROEF CILINDRISCHE KOP MET ZAAGGLEUF

VIS A METAUX TÊTE CYLINDRIQUE FENDUE

ZYLINDERSCHRAUBE MIT SCHLITZ



material : Brass	materiaal : Messing	matière : Laiton	Werkstoff : Messing
type :	type :	type :	Typ :
surface : plain	oppervlak : blank	surface : brut	Oberfläche : roh


Technical properties / Technische gegevens / Données techniques / Technische Daten

M	b 1	dk max.	k max.	n max.	t max.
M 3	19	5.5	2	1	1.15
M 4	22	7	2.6	1.2	1.5
M 5	25	8.5	3.3	1.51	1.8
M 6	28	10	3.9	1.91	2.2
M 8	34	13	5	2.31	2.6
M 10	40	16	6	2.81	3

* Cancelled since 09/1996 ** Nearly identical
 * Vervallen vanaf 09/1996 ** Verregaand uitwisselbaar
 * Retiré à partir de 09/1996 ** Presque identique
 * Storniert ab 09/1996 ** Weitgehend austauschbar

M x l	art code	EAN	BOX	KG/ BOX
3 x 6	00084,03006 MS	5410439016803	200	0,24
3 x 8	00084,03008 MS	5410439016834	200	0,32
3 x 10	00084,03010 MS	5410439016865	200	0,32
3 x 12	00084,03012 MS	5410439016902	200	0,36
3 x 16	00084,03016 MS	5410439016933	200	0,40
3 x 20	00084,03020 MS	5410439016971	200	0,48
3 x 25	00084,03025 MS	5410439017015	200	0,56
3 x 30	00084,03030 MS	5410439017053	200	0,68
3 x 35	00084,03035 MS	5410439186650	200	0,76
3 x 40	00084,03040 MS	5410439017114	200	0,84
4 x 6	00084,04006 MS	5410439017145	200	0,48
4 x 8	00084,04008 MS	5410439017176	200	0,52
4 x 10	00084,04010 MS	5410439017206	200	0,60
4 x 12	00084,04012 MS	5410439017244	200	0,68
4 x 16	00084,04016 MS	5410439017282	200	0,80
4 x 20	00084,04020 MS	5410439017329	200	0,92
4 x 25	00084,04025 MS	5410439017367	200	1,04
4 x 30	00084,04030 MS	5410439017404	200	1,20
4 x 35	00084,04035 MS	5410439131605	200	1,36
4 x 40	00084,04040 MS	5410439017466	200	1,52
4 x 50	00084,04050 MS	5410439017510	200	1,84
5 x 6	00084,05006 MS	5410439153065	200	0,84

M x l	art code	EAN	BOX	KG/ BOX
5 x 8	00084,05008 MS	5410439017558	200	0,88
5 x 10	00084,05010 MS	5410439017589	200	1,04
5 x 12	00084,05012 MS	5410439017626	200	1,12
5 x 16	00084,05016 MS	5410439017657	200	1,32
5 x 20	00084,05020 MS	5410439017695	200	1,52
5 x 25	00084,05025 MS	5410439017732	200	1,76
5 x 30	00084,05030 MS	5410439017787	200	2,00
5 x 35	00084,05035 MS	5410439153072	200	2,32
5 x 40	00084,05040 MS	5410439017848	200	2,52
5 x 45	00084,05045 MS	5410439153089	200	2,76
5 x 50	00084,05050 MS	5410439017893	200	3,00
5 x 60	00084,05060 MS	5410439112413	200	3,48
6 x 8	00084,06008 MS	5410439153096	200	1,44
6 x 10	00084,06010 MS	5410439017985	200	1,56
6 x 12	00084,06012 MS	5410439018029	200	1,72
6 x 16	00084,06016 MS	5410439018050	200	2,00
6 x 20	00084,06020 MS	5410439018098	200	2,28
6 x 25	00084,06025 MS	5410439018135	200	2,64
6 x 30	00084,06030 MS	5410439018180	200	3,00
6 x 35	00084,06035 MS	5410439153102	200	3,32
6 x 40	00084,06040 MS	5410439018241	200	3,68
6 x 45	00084,06045 MS	5410439153119	200	4,00



material : Brass type : surface : plain	materiaal : Messing type : oppervlak : blank	matière : Laiton type : surface : brut	Werkstoff : Messing Typ : Oberfläche : roh
--	---	---	---

M x l	art code	EAN	BOX	KG/ BOX
6 x 50	00084,06050 MS	5410439018302	200	4,36
6 x 60	00084,06060 MS	5410439112420	100	1,27
8 x 12	00084,08012 MS	5410439153126	100	0,85
8 x 16	00084,08016 MS	5410439153133	100	0,98
8 x 20	00084,08020 MS	5410439112437	100	1,10
8 x 25	00084,08025 MS	5410439112444	100	1,26
8 x 30	00084,08030 MS	5410439112451	100	1,42

M x l	art code	EAN	BOX	KG/ BOX
8 x 35	00084,08035 MS	5410439153140	100	1,58
8 x 40	00084,08040 MS	5410439112468	100	1,74
8 x 50	00084,08050 MS	5410439112475	100	2,06
8 x 60	00084,08060 MS	5410439112482	100	2,36
10 x 20	00084,10020 MS	5410439153157	100	1,86
10 x 30	00084,10030 MS	5410439153164	100	2,36
10 x 40	00084,10040 MS	5410439153171	100	2,86

C

Din 85 (12/1972) *


EN 1580 (05/1996) **

PAN HEAD SCREW SLOTTED

METAALSCHROEF CILINDRISCHE KOP MET ZAAGGLEUF

VIS A METAUX TÊTE CYLINDRIQUE FENDUE

FLACHKOPFSCHRAUBE MIT SCHLITZ



material : Steel 4.8	materiaal : Staal 4.8	matière : Acier 4.8	Werkstoff : Stahl 4.8
type : standard	type : standaard	type : standard	Typ : normalmass
surface : zinc plated	oppervlak : verzinkt	surface : zingué	Oberfläche : verzinkt

Technical properties / Technische gegevens / Données techniques / Technische Daten

M	b 1	dk max.	k nom.	n max.	t max.
M 3	19	6	1,8	1	0,95
M 4	22	8	2,4	1,2	1,3
M 5	25	10	3	1,51	1,5
M 6	28	12	3,6	1,91	1,9

* Cancelled since 05/1996 ** Nearly identical
 * Vervallen vanaf 05/1996 * Verregaand uitwisselbaar
 * Retiré à partir de 05/1996 ** Presque identique
 * Veraltet ab 05/1996 ** Weitgehend austauschbar

M x l	art code	EAN	BOX	KG/ BOX
3 x 6	00085,03006 Z	5410439018821	200	0,24
3 x 8	00085,03008 Z	5410439018838	200	0,28
3 x 10	00085,03010 Z	5410439018845	200	0,32
3 x 12	00085,03012 Z	5410439018852	200	0,36
3 x 16	00085,03016 Z	5410439018869	200	0,40
3 x 20	00085,03020 Z	5410439018876	200	0,48
3 x 25	00085,03025 Z	5410439018883	200	0,56
3 x 30	00085,03030 Z	5410439018890	200	0,68
4 x 6	00085,04006 Z	5410439018906	200	0,48
4 x 8	00085,04008 Z	5410439018913	200	0,56
4 x 10	00085,04010 Z	5410439018920	200	0,64
4 x 12	00085,04012 Z	5410439018937	200	0,68
4 x 16	00085,04016 Z	5410439018944	200	0,80
4 x 20	00085,04020 Z	5410439018951	200	0,92
4 x 25	00085,04025 Z	5410439018968	200	1,08
4 x 30	00085,04030 Z	5410439018975	200	1,24
4 x 35	00085,04035 Z	5410439018982	200	1,40
4 x 40	00085,04040 Z	5410439018999	200	1,56
5 x 8	00085,05008 Z	5410439019002	200	1,00
5 x 10	00085,05010 Z	5410439019019	200	1,08

M x l	art code	EAN	BOX	KG/ BOX
5 x 12	00085,05012 Z	5410439019026	200	1,20
5 x 16	00085,05016 Z	5410439019033	200	1,40
5 x 20	00085,05020 Z	5410439019040	200	1,60
5 x 25	00085,05025 Z	5410439019057	200	1,84
5 x 30	00085,05030 Z	5410439019064	200	2,08
5 x 35	00085,05035 Z	5410439019071	200	2,36
5 x 40	00085,05040 Z	5410439019088	200	2,60
5 x 45	00085,05045 Z	5410439019095	200	2,84
5 x 50	00085,05050 Z	5410439019101	200	3,08
6 x 8	00085,06008 Z	5410439019118	200	1,60
6 x 10	00085,06010 Z	5410439019125	200	1,76
6 x 12	00085,06012 Z	5410439019132	200	1,88
6 x 16	00085,06016 Z	5410439019149	200	2,08
6 x 20	00085,06020 Z	5410439019156	200	2,44
6 x 25	00085,06025 Z	5410439019163	200	2,80
6 x 30	00085,06030 Z	5410439019170	200	3,16
6 x 35	00085,06035 Z	5410439019187	200	3,52
6 x 40	00085,06040 Z	5410439019194	200	3,88
6 x 45	00085,06045 Z	5410439019200	200	4,20
6 x 50	00085,06050 Z	5410439019217	200	4,56

Din 963 (04/1985) *


EN 2009 (09/1996) **

COUNTERSUNK HEAD SCREW SLOTTED

METAALSCHROEF VERZONKEN KOP MET ZAAGGLEUF

VIS A METAUX TÊTE FRAISÉE FENDUE

SENKSCRAUBE MIT SCHLITZ



material : Steel 4.8	materiaal : Staal 4.8	matière : Acier 4.8	Werkstoff : Stahl 4.8
type : standard	type : standaard	type : standard	Typ : normalmass
surface : zinc plated	oppervlak : verzinkt	surface : zingué	Oberfläche : verzinkt

Technical properties / Technische gegevens / Données techniques / Technische Daten

M	b 1	dk max.	k max.	n max.	t max.
M 3	19	5.6	1.65	1	0.85
M 4	22	7.5	2.2	1.2	1.1
M 5	25	9.2	2.5	1.51	1.3
M 6	28	11	3	1.91	1.6
M 8	34	14.	4	2.31	2.1
M 10	40	18	5	2.81	2.6

* Cancelled since 09/1996 ** Not identical
 * Vervallen vanaf 09/1996 ** Niet uitwisselbaar
 * Retiré à partir de 09/1996 ** Pas identique
 * Veraltet ab 09/1996 ** Nicht austauschbar

M x l	art code	EAN	BOX	KG/ BOX
3 x 6	00963,03006 Z	5410439065665	200	0,16
3 x 8	00963,03008 Z	5410439065696	200	0,20
3 x 10	00963,03010 Z	5410439065733	200	0,24
3 x 12	00963,03012 Z	5410439065764	200	0,28
3 x 16	00963,03016 Z	5410439065795	200	0,32
3 x 20	00963,03020 Z	5410439065832	200	0,44
3 x 25	00963,03025 Z	5410439065870	200	0,52
3 x 30	00963,03030 Z	5410439065900	200	0,60
3 x 35	00963,03035 Z	5410439065931	200	0,68
3 x 40	00963,03040 Z	5410439065955	200	0,80
3 x 45	00963,03045 Z	5410439145602	200	0,80
3 x 50	00963,03050 Z	5410439065979	200	0,92
3 x 60	00963,03060 Z	5410439065986	200	1,12
4 x 8	00963,04008 Z	5410439066037	200	0,40
4 x 10	00963,04010 Z	5410439066075	200	0,44
4 x 12	00963,04012 Z	5410439066105	200	0,52
4 x 16	00963,04016 Z	5410439066136	200	0,64
4 x 20	00963,04020 Z	5410439066174	200	0,76
4 x 25	00963,04025 Z	5410439066211	200	0,92
4 x 30	00963,04030 Z	5410439066259	200	1,04
4 x 35	00963,04035 Z	5410439066280	200	1,12
4 x 40	00963,04040 Z	5410439066310	200	1,36

M x l	art code	EAN	BOX	KG/ BOX
4 x 50	00963,04050 Z	5410439066341	200	1,68
4 x 60	00963,04060 Z	5410439066365	200	2,00
5 x 10	00963,05010 Z	5410439066440	200	0,68
5 x 12	00963,05012 Z	5410439066471	200	0,80
5 x 16	00963,05016 Z	5410439066501	200	0,96
5 x 20	00963,05020 Z	5410439066549	200	1,20
5 x 25	00963,05025 Z	5410439066587	200	1,44
5 x 30	00963,05030 Z	5410439066624	200	1,64
5 x 35	00963,05035 Z	5410439066648	200	1,88
5 x 40	00963,05040 Z	5410439066686	200	2,16
5 x 45	00963,05045 Z	5410439104319	200	2,36
5 x 50	00963,05050 Z	5410439066716	200	2,68
5 x 60	00963,05060 Z	5410439066730	200	3,12
5 x 80	00963,05080 Z	5410439217460	200	4,16
6 x 10	00963,06010 Z	5410439066778	200	1,04
6 x 12	00963,06012 Z	5410439066808	200	1,20
6 x 16	00963,06016 Z	5410439066846	200	1,44
6 x 20	00963,06020 Z	5410439066884	200	1,72
6 x 25	00963,06025 Z	5410439066921	200	2,08
6 x 30	00963,06030 Z	5410439066969	200	2,44
6 x 35	00963,06035 Z	5410439066990	200	2,80
6 x 40	00963,06040 Z	5410439067034	200	3,08



material : Steel 4.8 type : standard surface : zinc plated	materiaal : Staal 4.8 type : standaard oppervlak : verzinkt	matière : Acier 4.8 type : standard surface : zingué	Werkstoff : Stahl 4.8 Typ : normalmass Oberfläche : verzinkt
---	--	---	---

M x l	art code	EAN	BOX	KG/ BOX
6 x 45	00963,06045 Z	5410439107877	200	3,40
6 x 50	00963,06050 Z	5410439067072	200	3,80
6 x 60	00963,06060 Z	5410439067096	200	4,48
6 x 70	00963,06070 Z	5410439217477	200	5,20
6 x 80	00963,06080 Z	5410439217484	200	5,88
8 x 16	00963,08016 Z	5410439067119	200	2,80
8 x 20	00963,08020 Z	5410439067140	200	3,28

M x l	art code	EAN	BOX	KG/ BOX
8 x 25	00963,08025 Z	5410439067171	200	3,84
8 x 30	00963,08030 Z	5410439067201	200	4,36
8 x 35	00963,08035 Z	5410439067225	200	5,04
8 x 40	00963,08040 Z	5410439089388	200	5,76
8 x 50	00963,08050 Z	5410439067270	200	8,04
8 x 60	00963,08060 Z	5410439067294	100	2,08
10 x 30	00963,10030 Z	5410439067348	100	1,81

C

Din 963 (04/1985) *


EN 2009 (09/1996) **

COUNTERSUNK HEAD SCREW SLOTTED

METAALSCHROEF VERZONKEN KOP MET ZAAGGLEUF

VIS A METAUX TÊTE FRAISÉE FENDUE

SENKSCRAUBE MIT SCHLITZ



material : Brass	materiaal : Messing	matière : Laiton	Werkstoff : Messing
type : standard	type : standaard	type : standard	Typ : normalmass
surface : plain	oppervlak : blank	surface : brut	Oberfläche : roh


Technical properties / Technische gegevens / Données techniques / Technische Daten

M	b 1	dk max.	k max.	n max.	t max.
M 2	16	3.8	1.2	0.7	0.6
M 3	19	5.6	1.65	1	0.85
M 4	22	7.5	2.2	1.2	1.1
M 5	25	9.2	2.5	1.51	1.3
M 6	28	11	3	1.91	1.6
M 8	34	14.	4	2.31	2.1
M 10	40	18	5	2.81	2.6

* Cancelled since 09/1996 ** Not identical
 * Vervallen vanaf 09/1996 ** Niet uitwisselbaar
 * Retiré à partir de 09/1996 ** Pas identique
 * Veraltet ab 09/1996 ** Nicht austauschbar

M x l	art code	EAN	BOX	KG/ BOX
2 x 4	00963,02004 MS	5410439140447	200	0,04
2 x 6	00963,02006 MS	5410439140454	200	0,08
2 x 8	00963,02008 MS	5410439140461	200	0,08
2 x 10	00963,02010 MS	5410439140478	200	0,08
2 x 12	00963,02012 MS	5410439140485	200	0,12
2 x 16	00963,02016 MS	5410439140492	200	0,12
2 x 20	00963,02020 MS	5410439140508	200	0,16
3 x 4	00963,03004 MS	5410439140522	200	0,12
3 x 5	00963,03005 MS	5410439144742	200	0,12
3 x 6	00963,03006 MS	5410439065658	200	0,16
3 x 8	00963,03008 MS	5410439065689	200	0,20
3 x 10	00963,03010 MS	5410439065719	200	0,24
3 x 12	00963,03012 MS	5410439065757	200	0,24
3 x 16	00963,03016 MS	5410439065788	200	0,32
3 x 20	00963,03020 MS	5410439065818	200	0,40
3 x 25	00963,03025 MS	5410439065856	200	0,48
3 x 30	00963,03030 MS	5410439065894	200	0,56
3 x 40	00963,03040 MS	5410439153195	200	0,72
3 x 50	00963,03050 MS	5410439140539	200	0,88
4 x 6	00963,04006 MS	5410439066006	200	0,32
4 x 8	00963,04008 MS	5410439066020	200	0,40

M x l	art code	EAN	BOX	KG/ BOX
4 x 10	00963,04010 MS	5410439066051	200	0,44
4 x 12	00963,04012 MS	5410439066099	200	0,48
4 x 16	00963,04016 MS	5410439066129	200	0,60
4 x 20	00963,04020 MS	5410439066150	200	0,72
4 x 25	00963,04025 MS	5410439066198	200	0,88
4 x 30	00963,04030 MS	5410439066235	200	1,04
4 x 35	00963,04035 MS	5410439066273	200	1,20
4 x 40	00963,04040 MS	5410439066303	200	1,36
4 x 50	00963,04050 MS	5410439066334	200	1,68
5 x 8	00963,05008 MS	5410439066396	200	0,60
5 x 10	00963,05010 MS	5410439066426	200	0,68
5 x 12	00963,05012 MS	5410439066464	200	0,80
5 x 16	00963,05016 MS	5410439066495	200	0,96
5 x 20	00963,05020 MS	5410439066525	200	1,16
5 x 25	00963,05025 MS	5410439066563	200	1,44
5 x 30	00963,05030 MS	5410439066600	200	1,68
5 x 40	00963,05040 MS	5410439066662	200	2,16
5 x 50	00963,05050 MS	5410439066709	200	2,68
5 x 60	00963,05060 MS	5410439118712	200	3,24
6 x 10	00963,06010 MS	5410439066754	200	1,00
6 x 12	00963,06012 MS	5410439066792	200	1,16



material : Brass type : standard surface : plain	materiaal : Messing type : standaard oppervlak : blank	matière : Laiton type : standard surface : brut	Werkstoff : Messing Typ : normalmass Oberfläche : roh
---	---	--	--

M x l	art code	EAN	BOX	KG/ BOX
6 x 16	00963,06016 MS	5410439066822	200	1,44
6 x 20	00963,06020 MS	5410439066860	200	1,72
6 x 25	00963,06025 MS	5410439066907	200	2,08
6 x 30	00963,06030 MS	5410439066945	200	2,44
6 x 35	00963,06035 MS	5410439066983	200	2,80
6 x 40	00963,06040 MS	5410439067010	200	3,12
6 x 50	00963,06050 MS	5410439067058	200	3,84
6 x 60	00963,06060 MS	5410439118729	200	4,56
6 x 70	00963,06070 MS	5410439140546	200	5,28
8 x 12	00963,08012 MS	5410439118736	100	0,57
8 x 16	00963,08016 MS	5410439118743	100	0,69
8 x 20	00963,08020 MS	5410439118750	100	0,82

M x l	art code	EAN	BOX	KG/ BOX
8 x 25	00963,08025 MS	5410439118767	100	0,98
8 x 30	00963,08030 MS	5410439118774	100	1,14
8 x 35	00963,08035 MS	5410439213745	100	1,30
8 x 40	00963,08040 MS	5410439118781	100	1,46
8 x 45	00963,08045 MS	5410439213752	100	1,62
8 x 50	00963,08050 MS	5410439118798	100	1,78
8 x 60	00963,08060 MS	5410439118804	100	2,10
10 x 20	00963,10020 MS	5410439118811	100	1,36
10 x 25	00963,10025 MS	5410439118828	100	1,61
10 x 30	00963,10030 MS	5410439118835	100	1,86
10 x 35	00963,10035 MS	5410439213769	100	2,11
10 x 40	00963,10040 MS	5410439118842	100	2,36

C

Din 963 (04/1985) *


EN 2009 (09/1996) **

COUNTERSUNK HEAD SCREW SLOTTED

METAALSCHROEF VERZONKEN KOP MET ZAAGGLEUF

VIS A METAUX TÊTE FRAISÉE FENDUE

SENKSCRAUBE MIT SCHLITZ



material : Plastic PA	materiaal : Kunststof PA	matière : Plastique PA	Werkstoff : Kunststoff PA
type : standard	type : standaard	type : standard	Typ : normalmass
surface : self-colour	oppervlak : natuurkleur	surface : naturelle	Oberfläche : naturel

Technical properties / Technische gegevens / Données techniques / Technische Daten

M	b 1	dk max.	k max.	n max.	t max.
M 3	19	5.6	1.65	1	0.85
M 4	22	7.5	2.2	1.2	1.1
M 5	25	9.2	2.5	1.51	1.3
M 6	28	11	3	1.91	1.6
M 8	34	14.	4	2.31	2.1

* Cancelled since 09/1996 ** Not identical
 * Vervallen vanaf 09/1996 ** Niet uitwisselbaar
 * Retiré à partir de 09/1996 ** Pas identique
 * Veraltet ab 09/1996 ** Nicht austauschbar

M x l	art code	EAN	BOX	KG/ BOX
3 x 10	00963,03010 N	5410439065726	200	0,24
3 x 16	00963,03016 N	5410439153515	200	0,32
3 x 20	00963,03020 N	5410439065825	200	0,40
4 x 10	00963,04010 N	5410439066068	200	0,44
4 x 12	00963,04012 N	5410439153522	200	0,48
4 x 16	00963,04016 N	5410439153539	200	0,60
4 x 20	00963,04020 N	5410439066167	200	0,12
4 x 25	00963,04025 N	5410439066204	200	0,88
4 x 30	00963,04030 N	5410439066242	200	1,04
5 x 10	00963,05010 N	5410439066433	200	0,68
5 x 16	00963,05016 N	5410439153546	200	0,96

M x l	art code	EAN	BOX	KG/ BOX
5 x 20	00963,05020 N	5410439066532	200	1,16
5 x 30	00963,05030 N	5410439066617	200	1,68
6 x 16	00963,06016 N	5410439066839	200	0,20
6 x 20	00963,06020 N	5410439066877	200	1,72
6 x 25	00963,06025 N	5410439066914	200	2,08
6 x 30	00963,06030 N	5410439066952	200	2,44
6 x 40	00963,06040 N	5410439067027	200	3,12
8 x 20	00963,08020 N	5410439067133	200	3,28
8 x 30	00963,08030 N	5410439067195	200	4,56
8 x 40	00963,08040 N	5410439067249	200	5,84

Din 963 (04/1985) *


EN 2009 (09/1996) **

COUNTERSUNK HEAD SCREW SLOTTED

METAALSCHROEF VERZONKEN KOP MET ZAAGGLEUF

VIS A METAUX TÊTE FRAISÉE FENDUE

SENKSCHRAUBE MIT SCHLITZ



material : Stainless steel A2	materiaal : Inox A2	matière : Inox A2	Werkstoff : Edelstahl A2
type : standard	type : standaard	type : standard	Typ : normalmass
surface : plain	oppervlak : blank	surface : brut	Oberfläche : roh

Technical properties / Technische gegevens / Données techniques / Technische Daten


M	b 1	dk max.	k max.	n max.	t max.
M 3	19	5.6	1.65	1	0.85
M 4	22	7.5	2.2	1.2	1.1
M 5	25	9.2	2.5	1.51	1.3
M 6	28	11	3	1.91	1.6

* Cancelled since 09/1996 ** Not identical
 * Vervallen vanaf 09/1996 ** Niet uitwisselbaar
 * Retiré à partir de 09/1996 ** Pas identique
 * Veraltet ab 09/1996 ** Nicht austauschbar

M x l	art code	EAN	BOX	KG/ BOX
3 x 6	00963,03006 A2	5410439065641	200	0,16
3 x 8	00963,03008 A2	5410439065672	200	0,20
3 x 10	00963,03010 A2	5410439065702	200	0,24
3 x 12	00963,03012 A2	5410439065740	200	0,28
3 x 16	00963,03016 A2	5410439065771	200	0,32
3 x 20	00963,03020 A2	5410439065801	200	0,44
3 x 25	00963,03025 A2	5410439065849	200	0,52
3 x 30	00963,03030 A2	5410439065887	200	0,56
3 x 35	00963,03035 A2	5410439065917	200	0,68
3 x 40	00963,03040 A2	5410439065948	200	0,72
3 x 45	00963,03045 A2	5410439140034	200	0,80
4 x 6	00963,04006 A2	5410439065993	200	0,32
4 x 8	00963,04008 A2	5410439066013	200	0,40
4 x 10	00963,04010 A2	5410439066044	200	0,44
4 x 12	00963,04012 A2	5410439066082	200	0,44
4 x 16	00963,04016 A2	5410439066112	200	0,64
4 x 20	00963,04020 A2	5410439066143	200	0,76
4 x 25	00963,04025 A2	5410439066181	200	0,92
4 x 30	00963,04030 A2	5410439066228	200	1,08
4 x 35	00963,04035 A2	5410439066266	200	1,20
4 x 40	00963,04040 A2	5410439066297	200	1,36
4 x 50	00963,04050 A2	5410439066327	200	1,68
5 x 6	00963,05006 A2	5410439066372	200	0,48
5 x 8	00963,05008 A2	5410439066389	200	0,60
5 x 10	00963,05010 A2	5410439066419	200	0,72

M x l	art code	EAN	BOX	KG/ BOX
5 x 12	00963,05012 A2	5410439066457	200	0,80
5 x 16	00963,05016 A2	5410439066488	200	1,04
5 x 20	00963,05020 A2	5410439066518	200	1,24
5 x 25	00963,05025 A2	5410439066556	200	1,44
5 x 30	00963,05030 A2	5410439066594	200	1,68
5 x 35	00963,05035 A2	5410439066631	200	1,92
5 x 40	00963,05040 A2	5410439066655	200	2,20
5 x 45	00963,05045 A2	5410439104302	200	2,40
5 x 50	00963,05050 A2	5410439066693	200	2,72
5 x 60	00963,05060 A2	5410439066723	200	3,24
5 x 70	00963,05070 A2	5410439100465	200	3,68
5 x 80	00963,05080 A2	5410439100472	200	4,20
6 x 10	00963,06010 A2	5410439066747	200	1,04
6 x 12	00963,06012 A2	5410439066785	200	1,16
6 x 16	00963,06016 A2	5410439066815	200	1,48
6 x 20	00963,06020 A2	5410439066853	200	1,72
6 x 25	00963,06025 A2	5410439066891	200	2,04
6 x 30	00963,06030 A2	5410439066938	200	2,40
6 x 35	00963,06035 A2	5410439066976	200	2,80
6 x 40	00963,06040 A2	5410439067003	200	3,16
6 x 45	00963,06045 A2	5410439100489	200	3,48
6 x 50	00963,06050 A2	5410439067041	200	3,84
6 x 60	00963,06060 A2	5410439067089	200	4,56
6 x 70	00963,06070 A2	5410439100496	200	5,32
6 x 80	00963,06080 A2	5410439343008	200	5,68

ROOFING BOLTS DOUBLE SLOTTED
METAALSCHROEF MET DUBBELE GLEUF
VIS POELIERS AVEC DOUBLE FENTE
BECHER SCHRAUBEN DOBBEL SCHLITZ



material : Steel 4.8	materiaal : Staal 4.8	matière : Acier 4.8	Werkstoff : Stahl 4.8
type : standard	type : standaard	type : standard	Typ : normalmass
surface : zinc plated	oppervlak : verzinkt	surface : zingué	Oberfläche : verzinkt

Technical properties / Technische gegevens / Données techniques / Technische Daten

M	b 1	dk max.	ds max.	k max.	n max.	t min.
M 4	38	10	4	2.2	1.51	1
M 5		12.5	5	2.7		1.2
M 6		15	6	3.3	1.91	1.5
M 8		20	8	4.4	2.31	2
M 10		25	10	5.5	2.81	2.4

M x l	art code	EAN	BOX	KG/ BOX
4 x 6	000VP,04006 Z	5410439187039	500	3,50
4 x 8	000VP,04008 Z	5410439112697	200	0,48
4 x 10	000VP,04010 Z	5410439305518	200	0,64
4 x 12	000VP,04012 Z	5410439112703	200	0,60
4 x 16	000VP,04016 Z	5410439112710	200	0,80
4 x 20	000VP,04020 Z	5410439112727	200	0,92
4 x 25	000VP,04025 Z	5410439306584	200	1,08
4 x 30	000VP,04030 Z	5410439305525	200	1,24
4 x 35	000VP,04035 Z	5410439112734	200	1,40
4 x 40	000VP,04040 Z	5410439305532	200	1,56
4 x 45	000VP,04045 Z	5410439126601	200	1,72
4 x 50	000VP,04050 Z	5410439305549	200	1,84
5 x 10	000VP,05010 Z	5410439305556	200	1,08
5 x 12	000VP,05012 Z	5410439112758	200	1,24
5 x 16	000VP,05016 Z	5410439305563	200	1,36
5 x 20	000VP,05020 Z	5410439112765	200	1,60
5 x 25	000VP,05025 Z	5410439112772	200	1,84
5 x 30	000VP,05030 Z	5410439112789	200	2,08
5 x 35	000VP,05035 Z	5410439112796	200	2,24
5 x 40	000VP,05040 Z	5410439112802	200	2,56
5 x 50	000VP,05050 Z	5410439112819	200	3,04
6 x 10	000VP,06010 Z	5410439304771	200	1,76
6 x 12	000VP,06012 Z	5410439101660	200	1,84

M x l	art code	EAN	BOX	KG/ BOX
6 x 16	000VP,06016 Z	5410439305570	200	2,16
6 x 20	000VP,06020 Z	5410439305587	200	2,44
6 x 25	000VP,06025 Z	5410439112826	200	2,76
6 x 30	000VP,06030 Z	5410439112833	200	3,08
6 x 35	000VP,06035 Z	5410439305594	200	3,52
6 x 40	000VP,06040 Z	5410439112840	200	3,80
6 x 45	000VP,06045 Z	5410439140188	200	4,12
6 x 50	000VP,06050 Z	5410439112857	200	4,52
6 x 60	000VP,06060 Z	5410439112864	200	5,16
8 x 16	000VP,08016 Z	5410439112871	200	4,32
8 x 20	000VP,08020 Z	5410439306904	200	4,96
8 x 25	000VP,08025 Z	5410439112888	100	1,42
8 x 30	000VP,08030 Z	5410439306911	100	1,52
8 x 35	000VP,08035 Z	5410439112895	100	1,79
8 x 40	000VP,08040 Z	5410439112901	100	1,89
8 x 50	000VP,08050 Z	5410439306928	100	2,18
8 x 60	000VP,08060 Z	5410439112918	100	2,49
10 x 20	000VP,10020 Z	5410439126625	100	2,19
10 x 30	000VP,10030 Z	5410439126632	100	2,70
10 x 40	000VP,10040 Z	5410439126649	100	3,24
10 x 50	000VP,10050 Z	5410439126656	100	3,59
10 x 60	000VP,10060 Z	5410439126663	100	4,27

Din 965 (09/1986) *


EN 7046 (05/1996) **

COUNTERSUNK HEAD SCREWS CROSS RECESSED

METAALSCHROEF VERZONKEN KOP MET KRUISINDRUK

VIS A METAUX TÊTE FRAISÉE EMPREINTE CRUCIFORME

SENKSCRAUBEN MIT KREUZSCHLITZ



material : Steel 4.8	materiaal : Staal 4.8	matière : Acier 4.8	Werkstoff : Stahl 4.8
type : cross recessed phillips	type : phillips indruk	type : empreinte phillips	Typ : Phillips-Kreuzschlitz H
surface : zinc plated	oppervlak : verzinkt	surface : zingué	Oberfläche : verzinkt


Technical properties / Technische gegevens / Données techniques / Technische Daten

M	b 1	dk max.	k max.	H
M 3	19	5.6	1.65	NR 1
M 4	22	7.5	2.2	NR 2
M 5	25	9.2	2.5	NR 2
M 6	28	11	3	NR 3
M 8	34	14.5	4	NR 4

* Cancelled since 09/1996 ** Not identical
 * Vervallen vanaf 09/1996 ** Niet uitwisselbaar
 * Retiré à partir de 09/1996 ** Pas identique
 * Veraltet ab 09/1996 ** Nicht austauschbar

M x l	art code	EAN	BOX	KG/ BOX
3 x 6	00965,03006 Z	5410439067461	200	0,16
3 x 8	00965,03008 Z	5410439067485	200	0,20
3 x 10	00965,03010 Z	5410439067508	200	0,24
3 x 12	00965,03012 Z	5410439067522	200	0,28
3 x 16	00965,03016 Z	5410439067546	200	0,32
3 x 20	00965,03020 Z	5410439067560	200	0,40
3 x 25	00965,03025 Z	5410439067584	200	0,52
3 x 30	00965,03030 Z	5410439107884	200	0,60
3 x 35	00965,03035 Z	5410439120197	200	0,68
3 x 40	00965,03040 Z	5410439107891	200	0,80
3 x 45	00965,03045 Z	5410439120203	200	0,80
3 x 50	00965,03050 Z	5410439120210	200	0,92
4 x 6	00965,04006 Z	5410439158473	200	0,28
4 x 8	00965,04008 Z	5410439067614	200	0,36
4 x 10	00965,04010 Z	5410439067638	200	0,40
4 x 12	00965,04012 Z	5410439067652	200	0,48
4 x 16	00965,04016 Z	5410439067676	200	0,64
4 x 20	00965,04020 Z	5410439067690	200	0,76
4 x 25	00965,04025 Z	5410439067713	200	0,92
4 x 30	00965,04030 Z	5410439067737	200	1,04
4 x 35	00965,04035 Z	5410439158480	200	1,04
4 x 40	00965,04040 Z	5410439067768	200	1,32
4 x 45	00965,04045 Z	5410439107907	200	1,52

M x l	art code	EAN	BOX	KG/ BOX
4 x 50	00965,04050 Z	5410439120227	200	1,68
4 x 60	00965,04060 Z	5410439305747	200	1,96
4 x 70	00965,04070 Z	5410439214780	200	2,28
4 x 80	00965,04080 Z	5410439214773	200	2,56
5 x 8	00965,05008 Z	5410439158497	200	0,60
5 x 10	00965,05010 Z	5410439067799	200	0,76
5 x 12	00965,05012 Z	5410439067812	200	0,80
5 x 16	00965,05016 Z	5410439067836	200	0,96
5 x 20	00965,05020 Z	5410439067850	200	1,24
5 x 25	00965,05025 Z	5410439067874	200	1,40
5 x 30	00965,05030 Z	5410439067898	200	1,64
5 x 35	00965,05035 Z	5410439158503	200	1,88
5 x 40	00965,05040 Z	5410439067928	200	2,20
5 x 45	00965,05045 Z	5410439158510	200	2,32
5 x 50	00965,05050 Z	5410439158527	200	2,68
5 x 60	00965,05060 Z	5410439158541	200	3,20
5 x 70	00965,05070 Z	5410439120234	200	3,64
5 x 80	00965,05080 Z	5410439306447	100	1,08
5 x 100	00965,05100 Z	5410439306454	100	1,30
6 x 10	00965,06010 Z	5410439067966	200	1,00
6 x 12	00965,06012 Z	5410439107242	200	1,12
6 x 16	00965,06016 Z	5410439068000	200	1,44
6 x 20	00965,06020 Z	5410439068024	200	1,76



material : Steel 4.8 type : cross recessed phillips surface : zinc plated	materiaal : Staal 4.8 type : phillips indruk oppervlak : verzinkt	matière : Acier 4.8 type : empreinte phillips surface : zingué	Werkstoff : Stahl 4.8 Typ : Phillips-Kreuzschlitz H Oberfläche : verzinkt
--	--	---	--

M x l	art code	EAN	BOX	KG/ BOX
6 x 25	00965,06025 Z	5410439068048	200	2,00
6 x 30	00965,06030 Z	5410439068062	200	2,40
6 x 35	00965,06035 Z	5410439158558	200	2,72
6 x 40	00965,06040 Z	5410439068093	200	3,08
6 x 45	00965,06045 Z	5410439120258	200	3,40
6 x 50	00965,06050 Z	5410439068116	200	3,72
6 x 60	00965,06060 Z	5410439158565	200	4,44
6 x 70	00965,06070 Z	5410439158572	200	5,20
6 x 80	00965,06080 Z	5410439158589	100	1,48
6 x 100	00965,06100 Z	5410439306478	100	1,80

M x l	art code	EAN	BOX	KG/ BOX
8 x 20	00965,08020 Z	5410439068130	200	3,08
8 x 25	00965,08025 Z	5410439068147	200	3,72
8 x 30	00965,08030 Z	5410439158602	200	4,24
8 x 35	00965,08035 Z	5410439125130	200	5,04
8 x 40	00965,08040 Z	5410439068154	200	5,56
8 x 50	00965,08050 Z	5410439068161	200	6,84
8 x 60	00965,08060 Z	5410439125147	200	8,12
8 x 70	00965,08070 Z	5410439125154	100	2,36
8 x 80	00965,08080 Z	5410439125161	100	2,67

C

Din 965 (09/1986) *


EN 7046 (05/1996) **

COUNTERSUNK HEAD SCREWS CROSS RECESSED

METAALSCHROEF VERZONKEN KOP MET KRUISINDRUK

VIS A METAUX TÊTE FRAISÉE EMPREINTE CRUCIFORME

SENKSCHAUBEN MIT KREUZSCHLITZ



material : Stainless steel A2	materiaal : Inox A2	matière : Inox A2	Werkstoff : Edelstahl A2
type : Phillips recess	type : phillips indruk	type : empreinte Phillips	Typ : Phillips Schlitz
surface : plain	oppervlak : blank	surface : brut	Oberfläche : roh


Technical properties / Technische gegevens / Données techniques / Technische Daten

M	b 1	dk max.	k max.	H
M 3	19	5.6	1.65	NR 1
M 4	22	7.5	2.2	NR 2
M 5	25	9.2	2.5	NR 2
M 6	28	11	3	NR 3

* Cancelled since 09/1996 ** Not identical
 * Vervallen vanaf 09/1996 ** Niet uitwisselbaar
 * Retiré à partir de 09/1996 ** Pas identique
 * Veraltet ab 09/1996 ** Nicht austauschbar

M x l	art code	EAN	BOX	KG/ BOX
3 x 6	00965,03006 A2	5410439100564	200	0,16
3 x 8	00965,03008 A2	5410439067478	200	0,20
3 x 10	00965,03010 A2	5410439067492	200	0,24
3 x 12	00965,03012 A2	5410439067515	200	0,28
3 x 16	00965,03016 A2	5410439067539	200	0,36
3 x 20	00965,03020 A2	5410439067553	200	0,40
3 x 25	00965,03025 A2	5410439067577	200	0,52
3 x 30	00965,03030 A2	5410439067591	200	0,60
4 x 6	00965,04006 A2	5410439127899	200	0,28
4 x 8	00965,04008 A2	5410439067607	200	0,36
4 x 10	00965,04010 A2	5410439067621	200	0,44
4 x 12	00965,04012 A2	5410439067645	200	0,52
4 x 16	00965,04016 A2	5410439067669	200	0,60
4 x 20	00965,04020 A2	5410439067683	200	0,72
4 x 25	00965,04025 A2	5410439067706	200	0,92
4 x 30	00965,04030 A2	5410439067720	200	1,04
4 x 35	00965,04035 A2	5410439067744	200	1,20
4 x 40	00965,04040 A2	5410439067751	200	1,36
4 x 50	00965,04050 A2	5410439067775	200	1,68
4 x 60	00965,04060 A2	5410439217651	200	1,96
5 x 6	00965,05006 A2	5410439139618	200	0,56
5 x 8	00965,05008 A2	5410439100571	200	0,64
5 x 10	00965,05010 A2	5410439067782	200	0,72
5 x 12	00965,05012 A2	5410439067805	200	0,80

M x l	art code	EAN	BOX	KG/ BOX
5 x 16	00965,05016 A2	5410439067829	200	1,00
5 x 20	00965,05020 A2	5410439067843	200	1,20
5 x 25	00965,05025 A2	5410439067867	200	1,44
5 x 30	00965,05030 A2	5410439067881	200	1,72
5 x 35	00965,05035 A2	5410439067904	200	1,96
5 x 40	00965,05040 A2	5410439067911	200	2,20
5 x 45	00965,05045 A2	5410439100588	200	2,44
5 x 50	00965,05050 A2	5410439067935	200	2,68
5 x 60	00965,05060 A2	5410439067942	200	3,20
5 x 70	00965,05070 A2	5410439137416	200	3,76
5 x 80	00965,05080 A2	5410439139014	200	4,12
5 x 90	00965,05090 A2	5410439214728	200	4,64
5 x 100	00965,05100 A2	5410439228084	200	5,12
6 x 10	00965,06010 A2	5410439067959	200	1,00
6 x 12	00965,06012 A2	5410439067973	200	1,16
6 x 16	00965,06016 A2	5410439067997	200	1,44
6 x 20	00965,06020 A2	5410439068017	200	1,68
6 x 25	00965,06025 A2	5410439068031	200	2,08
6 x 30	00965,06030 A2	5410439068055	200	2,40
6 x 35	00965,06035 A2	5410439068079	200	2,76
6 x 40	00965,06040 A2	5410439068086	200	3,16
6 x 45	00965,06045 A2	5410439140669	200	3,52
6 x 50	00965,06050 A2	5410439068109	200	3,96
6 x 60	00965,06060 A2	5410439068123	200	4,36



material : Stainless steel A2 type : Phillips recess surface : plain	materiaal : Inox A2 type : phillips indruk oppervlak : blank	matière : Inox A2 type : empreinte Phillips surface : brut	Werkstoff : Edelstahl A2 Typ : Phillips Schlitz Oberfläche : roh
---	---	---	---

M x l	art code	EAN	BOX	KG/ BOX
6 x 70	00965,06070 A2	5410439135047	200	5,28
6 x 80	00965,06080 A2	5410439133869	200	5,96

M x l	art code	EAN	BOX	KG/ BOX
6 x 100	00965,06100 A2	5410439142311	100	1,88

C

Din 966 (12/1984) *


EN 7047 (09/1996) **

CSK OVAL HEAD SCREW CROSS RECESSED

METAALSCHROEF BOLVERZONKEN KOP MET KRUISINDRUK

VIS A METAUX TÊTE FR.BOMBÉE EMPREINTE CRUCIFORME

LINSENENKSCHRAUBE MIT KREUZSCHLITZ



material : Steel 4.8	materiaal : Staal 4.8	matière : Acier 4.8	Werkstoff : Stahl 4.8
type : phillips recess	type : phillips indruk	type : empreinte phillips	Typ : Phillips-Kreuzschlitz H
surface : zinc plated	oppervlak : verzinkt	surface : zingué	Oberfläche : verzinkt

Technical properties / Technische gegevens / Données techniques / Technische Daten

M	b 1	dk max.	k max.	H
M 4	22	7.5	2.2	NR 2
M 5	25	9.2	2.5	NR 2
M 6	28	11	3	NR 3

* Cancelled since 09/1996 ** Not identical
 * Vervallen vanaf 09/1996 ** Niet uitwisselbaar
 * Retiré à partir de 09/1996 ** Pas identique
 * Veraltet ab 09/1996 ** Nicht austauschbar

M x l	art code	EAN	BOX	KG/ BOX
4 x 8	00966,04008 Z	5410439139915	200	0,44
4 x 10	00966,04010 Z	5410439158220	200	0,48
4 x 12	00966,04012 Z	5410439158237	200	0,56
4 x 16	00966,04016 Z	5410439134545	200	0,68
4 x 20	00966,04020 Z	5410439158244	200	0,80
4 x 25	00966,04025 Z	5410439158251	200	0,96
4 x 30	00966,04030 Z	5410439158268	200	1,12
5 x 10	00966,05010 Z	5410439158299	200	0,80
5 x 12	00966,05012 Z	5410439107990	200	0,88
5 x 16	00966,05016 Z	5410439158909	200	1,08
5 x 20	00966,05020 Z	5410439134217	200	1,28

M x l	art code	EAN	BOX	KG/ BOX
5 x 25	00966,05025 Z	5410439107914	200	1,52
5 x 30	00966,05030 Z	5410439158916	200	1,76
5 x 35	00966,05035 Z	5410439127332	200	2,00
5 x 40	00966,05040 Z	5410439158923	200	2,24
6 x 12	00966,06012 Z	5410439158930	200	1,36
6 x 16	00966,06016 Z	5410439158947	200	1,64
6 x 20	00966,06020 Z	5410439158954	200	1,92
6 x 25	00966,06025 Z	5410439139922	200	2,28
6 x 30	00966,06030 Z	5410439134552	200	2,60
6 x 35	00966,06035 Z	5410439139939	200	2,88
6 x 40	00966,06040 Z	5410439139946	200	3,36

C

Din 966 (12/1984) *


EN 7047 (09/1996) **

CSK OVAL HEAD SCREW CROSS RECESSED

METAALSCHROEF BOLVERZONKEN KOP MET KRUISINDRUK

VIS A METAUX TÊTE FR.BOMBÉE EMPREINTE CRUCIFORME

LINSENENKSCHRAUBE MIT KREUZSCHLITZ



material : Stainless steel A2	materiaal : Inox A2	matière : Inox A2	Werkstoff : Edelstahl A2
type : Phillips recess	type : Phillips indruk	type : empreinte phillips	Typ : Phillips Schiltz
surface : plain	oppervlak : blank	surface : brut	Oberfläche : roh

Technical properties / Technische gegevens / Données techniques / Technische Daten

M	b 1	dk max.	k max.	H
M 3	19	5.6	1.65	NR 1
M 4	22	7.5	2.2	NR 2
M 5	25	9.2	2.5	NR 2
M 6	28	11	3	NR 3

* Cancelled since 09/1996 ** Not identical
 * Vervallen vanaf 09/1996 ** Niet uitwisselbaar
 * Retiré à partir de 09/1996 ** Pas identique
 * Veraltet ab 09/1996 ** Nicht austauschbar

M x l	art code	EAN	BOX	KG/ BOX
3 x 8	00966,03008 A2	5410439068178	200	0,20
3 x 10	00966,03010 A2	5410439068185	200	0,24
3 x 12	00966,03012 A2	5410439068192	200	0,28
3 x 16	00966,03016 A2	5410439068208	200	0,36
3 x 20	00966,03020 A2	5410439068215	200	0,40
4 x 8	00966,04008 A2	5410439068222	200	0,44
4 x 10	00966,04010 A2	5410439068239	200	0,48
4 x 12	00966,04012 A2	5410439141840	200	0,52
4 x 16	00966,04016 A2	5410439068246	200	0,64
4 x 20	00966,04020 A2	5410439068253	200	0,80
4 x 25	00966,04025 A2	5410439068260	200	0,96
5 x 8	00966,05008 A2	5410439068277	200	0,68
5 x 10	00966,05010 A2	5410439068284	200	0,80
5 x 12	00966,05012 A2	5410439068291	200	0,88

M x l	art code	EAN	BOX	KG/ BOX
5 x 16	00966,05016 A2	5410439068307	200	1,08
5 x 20	00966,05020 A2	5410439068314	200	1,28
5 x 25	00966,05025 A2	5410439068321	200	1,52
5 x 30	00966,05030 A2	5410439068338	200	1,84
5 x 35	00966,05035 A2	5410439090773	200	2,00
5 x 40	00966,05040 A2	5410439140751	200	2,24
6 x 12	00966,06012 A2	5410439068369	200	1,36
6 x 16	00966,06016 A2	5410439068376	200	1,60
6 x 20	00966,06020 A2	5410439068383	200	1,92
6 x 25	00966,06025 A2	5410439068390	200	2,28
6 x 30	00966,06030 A2	5410439068406	200	2,56
6 x 35	00966,06035 A2	5410439068413	200	3,00
6 x 40	00966,06040 A2	5410439068420	200	3,36

Din 7985 (07/1986) *


EN 7045 (09/1996) **

RAISED CHEESE HEAD SCREW CROSS RECESSED

METAALSCHROEF BOLKOP MET KRUISINDRUK

VIS A METAUX TÊTE CYL.BOMBÉE, CRUCIFORME

LINSENSCHRAUBE MIT KREUZSCHLITZ



material : Steel 4.8	materiaal : Staal 4.8	matière : Acier 4.8	Werkstoff : Stahl 4.8
type : phillips recess	type : phillips indruk	type : empreinte phillips	Typ : Kreuzschlitz H
surface : zinc plated	oppervlak : verzinkt	surface : zingué	Oberfläche : verzinkt

Technical properties / Technische gegevens / Données techniques / Technische Daten


M	dk max.	k nom.	H
M 2,5	5	2	
M 4	8	3.1	NR 2
M 5	10	3.8	NR 2
M 6	12	4.6	NR 3
M 8	16	6	NR 4

* Cancelled since 09/1996 ** Nearly identical
 * Vervallen vanaf 09/1996 ** Verregaand uitwisselbaar
 * Retiré à partir de 09/1996 ** Presque identique
 * Veraltet ab 09/1996 ** Weitgehend austauschbar

M x l	art code	EAN	BOX	KG/ BOX
2,5 x 10	07985,025010Z	5410439158367	200	0,24
3 x 6	07985,03006 Z	5410439083782	200	0,28
3 x 8	07985,03008 Z	5410439083805	200	0,32
3 x 10	07985,03010 Z	5410439083829	200	0,36
3 x 12	07985,03012 Z	5410439083843	200	0,36
3 x 16	07985,03016 Z	5410439083867	200	0,48
3 x 20	07985,03020 Z	5410439083881	200	0,52
3 x 25	07985,03025 Z	5410439083904	200	0,60
3 x 30	07985,03030 Z	5410439083928	200	0,68
3 x 35	07985,03035 Z	5410439307918	200	0,80
3 x 40	07985,03040 Z	5410439307932	200	0,88
3 x 45	07985,03045 Z	5410439158381	200	1,04
3 x 50	07985,03050 Z	5410439120173	200	1,08
4 x 6	07985,04006 Z	5410439083942	200	0,56
4 x 8	07985,04008 Z	5410439083966	200	0,64
4 x 10	07985,04010 Z	5410439083980	200	0,64
4 x 12	07985,04012 Z	5410439084000	200	0,80
4 x 16	07985,04016 Z	5410439084024	200	0,88
4 x 20	07985,04020 Z	5410439084048	200	1,00
4 x 25	07985,04025 Z	5410439084062	200	1,16
4 x 30	07985,04030 Z	5410439084086	200	1,24
4 x 35	07985,04035 Z	5410439084093	200	1,44
4 x 40	07985,04040 Z	5410439084109	200	1,60

M x l	art code	EAN	BOX	KG/ BOX
4 x 45	07985,04045 Z	5410439158398	200	1,76
4 x 50	07985,04050 Z	5410439158404	200	1,88
4 x 60	07985,04060 Z	5410439158411	200	2,28
5 x 6	07985,05006 Z	5410439107921	200	1,00
5 x 8	07985,05008 Z	5410439084130	200	1,12
5 x 10	07985,05010 Z	5410439084154	200	1,28
5 x 12	07985,05012 Z	5410439084178	200	1,28
5 x 16	07985,05016 Z	5410439084192	200	1,52
5 x 20	07985,05020 Z	5410439084215	200	1,72
5 x 25	07985,05025 Z	5410439084239	200	1,92
5 x 30	07985,05030 Z	5410439084253	200	2,16
5 x 35	07985,05035 Z	5410439084277	200	2,44
5 x 40	07985,05040 Z	5410439084291	200	2,64
5 x 45	07985,05045 Z	5410439084307	200	2,84
5 x 50	07985,05050 Z	5410439084321	200	3,12
5 x 60	07985,05060 Z	5410439305761	200	3,68
6 x 10	07985,06010 Z	5410439084369	200	1,92
6 x 12	07985,06012 Z	5410439084383	200	2,08
6 x 16	07985,06016 Z	5410439084406	200	2,24
6 x 20	07985,06020 Z	5410439084420	200	2,60
6 x 25	07985,06025 Z	5410439084444	200	2,92
6 x 30	07985,06030 Z	5410439084468	200	3,36
6 x 35	07985,06035 Z	5410439084482	200	3,68

C



material : Steel 4.8 type : phillips recess surface : zinc plated	materiaal : Staal 4.8 type : phillips indruk oppervlak : verzinkt	matière : Acier 4.8 type : empreinte phillips surface : zingué	Werkstoff : Stahl 4.8 Typ : Kreuzschlitz H Oberfläche : verzinkt
--	--	---	---

M x l	art code	EAN	BOX	KG/ BOX
6 x 40	07985,06040 Z	5410439084505	200	4,00
6 x 45	07985,06045 Z	5410439158428	200	4,36
6 x 50	07985,06050 Z	5410439084529	200	5,32
6 x 60	07985,06060 Z	5410439084543	200	5,28
6 x 80	07985,06080 Z	5410439084550	200	6,64
8 x 16	07985,08016 Z	5410439158435	200	4,84
8 x 20	07985,08020 Z	5410439158442	200	5,24

M x l	art code	EAN	BOX	KG/ BOX
8 x 25	07985,08025 Z	5410439125062	200	6,00
8 x 30	07985,08030 Z	5410439125079	200	6,52
8 x 35	07985,08035 Z	5410439125086	200	7,24
8 x 40	07985,08040 Z	5410439125093	200	7,76
8 x 50	07985,08050 Z	5410439125109	200	9,04
8 x 60	07985,08060 Z	5410439125116	200	10,44

C

Din 7985 (07/1986) *


EN 7045 (09/1996) **

RAISED CHEESE HEAD SCREW CROSS RECESSED

METAALSCHROEF BOLKOP MET KRUISINDRUK

VIS A METAUX TÊTE CYL.BOMBÉE, CRUCIFORME

LINSENSCHRAUBE MIT KREUZSCHLITZ



material : Stainless steel A2	materiaal : Inox A2	matière : Inox A2	Werkstoff : Edelstahl A2
type : Phillips recess	type : Phillips indruk	type : empreinte Phillips	Typ : Phillips Schlitz
surface : plain	oppervlak : blank	surface : brut	Oberfläche : roh


Technical properties / Technische gegevens / Données techniques / Technische Daten

M	dk max.	k nom.	H
M 3	6	2.4	NR 1
M 4	8	3.1	NR 2
M 5	10	3.8	NR 2
M 6	12	4.6	NR 3

* Cancelled since 09/1996 ** Nearly identical
 * Vervallen vanaf 09/1996 ** Verregaand uitwisselbaar
 * Retiré à partir de 09/1996 ** Presque identique
 * Veraltet ab 09/1996 ** Weitgehend austauschbar

M x l	art code	EAN	BOX	KG/ BOX
3 x 6	07985,03006 A2	5410439083775	200	0,28
3 x 8	07985,03008 A2	5410439083799	200	0,32
3 x 10	07985,03010 A2	5410439083812	200	0,36
3 x 12	07985,03012 A2	5410439083836	200	0,40
3 x 16	07985,03016 A2	5410439083850	200	0,48
3 x 20	07985,03020 A2	5410439083874	200	0,52
3 x 25	07985,03025 A2	5410439083898	200	0,64
3 x 30	07985,03030 A2	5410439083911	200	0,72
3 x 35	07985,03035 A2	5410439140959	200	0,84
3 x 40	07985,03040 A2	5410439144100	200	0,92
4 x 6	07985,04006 A2	5410439083935	200	0,56
4 x 8	07985,04008 A2	5410439083959	200	0,64
4 x 10	07985,04010 A2	5410439083973	200	0,72
4 x 12	07985,04012 A2	5410439083997	200	0,76
4 x 16	07985,04016 A2	5410439084017	200	0,88
4 x 20	07985,04020 A2	5410439084031	200	1,00
4 x 25	07985,04025 A2	5410439084055	200	1,16
4 x 30	07985,04030 A2	5410439084079	200	1,32
4 x 35	07985,04035 A2	5410439128131	200	1,44
4 x 40	07985,04040 A2	5410439100724	200	1,64
4 x 45	07985,04045 A2	5410439141857	200	1,76
4 x 50	07985,04050 A2	5410439140041	200	1,88
5 x 6	07985,05006 A2	5410439084116	200	1,04
5 x 8	07985,05008 A2	5410439084123	200	1,12

M x l	art code	EAN	BOX	KG/ BOX
5 x 10	07985,05010 A2	5410439084147	200	1,24
5 x 12	07985,05012 A2	5410439084161	200	1,32
5 x 16	07985,05016 A2	5410439084185	200	1,52
5 x 20	07985,05020 A2	5410439084208	200	1,68
5 x 25	07985,05025 A2	5410439084222	200	1,96
5 x 30	07985,05030 A2	5410439084246	200	2,28
5 x 35	07985,05035 A2	5410439084260	200	2,48
5 x 40	07985,05040 A2	5410439084284	200	2,72
5 x 45	07985,05045 A2	5410439173445	200	2,92
5 x 50	07985,05050 A2	5410439084314	200	3,20
5 x 60	07985,05060 A2	5410439084338	200	3,68
5 x 70	07985,05070 A2	5410439134361	200	4,20
5 x 80	07985,05080 A2	5410439141864	200	4,64
6 x 8	07985,06008 A2	5410439084345	200	1,88
6 x 10	07985,06010 A2	5410439084352	200	1,96
6 x 12	07985,06012 A2	5410439084376	200	2,12
6 x 16	07985,06016 A2	5410439084390	200	2,32
6 x 20	07985,06020 A2	5410439084413	200	2,56
6 x 25	07985,06025 A2	5410439084437	200	3,08
6 x 30	07985,06030 A2	5410439084451	200	3,36
6 x 35	07985,06035 A2	5410439084475	200	3,64
6 x 40	07985,06040 A2	5410439084499	200	4,04
6 x 45	07985,06045 A2	5410439173452	200	4,36
6 x 50	07985,06050 A2	5410439084512	200	4,72



material : Stainless steel A2 type : Phillips recess surface : plain	materiaal : Inox A2 type : Phillips indruk oppervlak : blank	matière : Inox A2 type : empreinte Phillips surface : brut	Werkstoff : Edelstahl A2 Typ : Phillips Schlitz Oberfläche : roh
---	---	---	---

M x l	art code	EAN	BOX	KG/ BOX
6 x 60	07985,06060 A2	5410439084536	200	5,40
6 x 70	07985,06070 A2	5410439100731	200	6,12

M x l	art code	EAN	BOX	KG/ BOX
6 x 80	07985,06080 A2	5410439139519	200	6,76


C

DOME SCREW WITH COMBI SLOT

MEUBELTREKKERSVIJS FLENSKOP MET KOMBI-INDRUK

VIS POUR POIGNEE MEUBLE FENTE COMBINÉE

MÖBELGRIFFSCHRAUBE MIT KOMBI-KREUZSCHLITZ Z



material : Steel	materiaal : Staal	matière : Acier	Werkstoff : Stahl
type : dome head (slotted-poz.)	type : flenskop (gleuf-poz.)	type : embase (fendue-poz.)	Typ : Flanschkopf (Schlitz-poz.)
surface : zinc plated	oppervlak : verzinkt	surface : zingué	Oberfläche : verzinkt

Technical properties / Technische gegevens / Données techniques / Technische Daten

M x l	art code	EAN	BOX	KG/ BOX
4 x 10	00MTV,04010 Z	5410439145930	1000	14,00
4 x 12	00MTV,04012 Z	5410439205184	1000	16,00
4 x 16	00MTV,04016 Z	5410439145947	1000	19,00
4 x 20	00MTV,04020 Z	5410439216371	1000	21,00
4 x 22	00MTV,04022 Z	5410439206426	1000	23,00
4 x 24	00MTV,04024 Z	5410439206433	1000	24,00
4 x 25	00MTV,04025 Z	5410439145954	1000	25,00

M x l	art code	EAN	BOX	KG/ BOX
4 x 28	00MTV,04028 Z	5410439208895	1000	27,00
4 x 30	00MTV,04030 Z	5410439145961	1000	29,00
4 x 35	00MTV,04035 Z	5410439235006	1000	33,00
4 x 40	00MTV,04040 Z	5410439145978	1000	38,00
4 x 45	00MTV,04045 Z	5410439214735	1000	41,00
4 x 50	00MTV,04050 Z	5410439145985	500	11,25